

# SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Aug 01, 2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name AMMONIUM MOLYBDATE TETRAHYDRATE

CAS-No. 12054-85-2 Product code AR1013

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

## 1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

#### 1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

## Pictogram



Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dusts.

P264 Wash hand thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection/face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty water.

RCI Labscan Limited. Page 1 of 7

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
P330	Rinse mouth.		
P332 + P313 If skin irritation occurs: Get medical advice/attention.			
P337 + P313	- P313 If eye irritation persists: Get medical advice/attention.		
P362 + P364	362 + P364 Take off contaminated clothing and wash it before reuse.		
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		

2.3 Other hazards None

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms Ammonium heptamolybdate tetrahydrate, Hexammonium heptamolybdate 4-hydrate.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 12054-85-2 234-722-4 - H<sub>24</sub>MO<sub>7</sub>N<sub>6</sub>O<sub>24</sub>.4H<sub>2</sub>O 1235.86 g/mol >99

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

C	Component	Concentration	Classification	
Ammonium molybdate tetrahydrate				
CAS-No	12054-85-2	>99%	Acute toxicity, Oral (Category 4), H302	
EC-No	234-722-4		Skin irritation (Category 2), H315	
EC-Index-No -			Eye irritation (Category 2), H319	
			Specific target organ toxicity - single exposure (Category	
			3), H335	

For the full text of the H-Statements mentioned in this Section, see Section 16

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Inhalation Move to fresh air in case of accidental inhalation of dust.

Skin contact Remove contaminated clothing and wash affected skin with soap and water.

Eye contact If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. After swallowing make victim drink water (two glasses at the most), call in

physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

Not Available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

RCI Labscan Limited. Page 2 of 7

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible. Ambient fire may liberate hazardous vapors. The following may develop in event of fire: nitrogen oxides, molybdenum oxides.

## 5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Avoid contact with skin and wear suitable protective clothing.

#### 5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dusts; do not inhale dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protective equipment see **Section 8**.

#### 6.2 Environmental precautions

Do not allow to enter drinking water and sewerage system.

## 6.3 Methods and materials for containment and cleaning up

Carefully sweep up, gather and remove. Avoid generation of dusts. Keep in suitable, closed containers for disposal. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see Section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of good ventilation in the working area. Do not leave container open. Avoid spillage. Avoid rising dust.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water, moisture and incompatible materials.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### 8.2 Exposure controls

## Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

## Individual protection measures (Personal protective equipment, PPE)

## Eye/face protection

Goggles giving complete protection to eyes.

#### Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.

RCI Labscan Limited. Page 3 of 7

- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when dusts are generated filter P1 (EN 143) or use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Environmental exposure controls**

Prevent liquid entering sewers, basements and workpits.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Form Solid
: Color Colorless
Odour Of ammonia
Odour Threshold Not Available

pH  $\sim$ 5.3 at 50 g/l H<sub>2</sub>O at 20°C

Melting point/range 90°C (release of crystalline water)

Boiling point/range Not Available
Flash point Not Available
Evaporation rate Not Available
Flammability (solid, gas) Not Available
Explosion limits: lower Not Available
upper Not Available
Vapor Pressure Not Available

Relative Vapor Density

Not Available
2.498 q/cm<sup>3</sup> at 20

Density 2.498 g/cm<sup>3</sup> at 20°C

Bulk density: ~800 kg/m³
Water solubility 400 g/l at 20°C
Partition coefficient (n-octanol/water) Not Available
Auto-Ignition temperature Not Available
Decomposition Temperature Not Available
Viscosity Not Available
Explosive properties Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not Available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Not Available

#### 10.4 Conditions to avoid

Heating

#### 10.5 Incompatible materials

Not Available

RCI Labscan Limited. Page 4 of 7

## 10.6 Hazardous decomposition products

Molybdenum oxides, nitrogen oxides (Hazardous decomposition products from under fire condition).

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

# **Acute toxicity**

Not Available

## **Acute oral toxicity**

Not Available

#### Acute inhalation toxicity

Not Available

#### Skin corrosion/irritation

Not Available

## Serious eye damage/eye irritation

Not Available

## Respiratory or skin sensitization

Not Available

## Germ cell mutagenicity

Not Available

## Carcinogenicity

Not Available

## Reproductive toxicity

Not Available

# Teratogenicity

Not Available

# Specific target organ toxicity (STOT) - single exposure

May cause respiratory irritation.

## Specific target organ toxicity (STOT) - repeated exposure

Not Available

## **Aspiration hazard**

Not Available

#### **Further information**

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhea.

Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

The product should be handled with the care usual when dealing with chemicals.

RCI Labscan Limited. Page 5 of 7

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish  $LC_0$  Oncorhynchus mykiss (rainbow trout): 320 mg/l/ 96 h.

LC<sub>50</sub> Oncorhynchus mykiss (rainbow trout): 420 mg/l/ 96 h.

Toxicity to daphnia EC<sub>50</sub> Daphnia magna: 140 mg/l/48 h.

and other aquatic invertebrates

Toxicity to algae EC<sub>50</sub> Desmodesmus subspicatus: 41 mg/l/ 72 h.

#### 12.2 Persistence and degradability

Biodegradability Method for the determination of biodegradability is not applicable to

inorganic substance.

#### 12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) Not Available

#### 12.4 Mobility in soil

Not Available

## 12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

#### Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

#### **SECTION 14: Transport information**

Not subject to transport regulations.

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not Available

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

RCI Labscan Limited. Page 6 of 7

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

## **Recommended restrictions**

Take notice of labels and safety data sheets for the working. Chemicals Take necessary action to avoid static electricity discharge.

#### Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

#### **Further information**

Contact to RCI Labscan Limited.

#### **Revision Date**

01/08/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 7 of 7