

# SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Aug 01, 2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ERIOCHROME BLACK T

CAS-No. 1787-61-7 Product code AR1252

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Eye irritation (Category 2), H319

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

#### Pictogram





Signal word Warning

Hazard statement(s)

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P264 Wash hand thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

#### 2.3 Other hazards None

RCI Labscan Limited. Page 1 of 7

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms Chrome black T, 2-Hydroxy-1-(1-hydroxy-2-naphthylazo)-6-nitronaphthalene-4-sulfonic

acid sodium salt, EBT.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight %

1787-61-7 217-250-3 - C<sub>20</sub>H<sub>12</sub>N<sub>3</sub>NaO<sub>7</sub>S 461.38 g/mol

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Concentration	Classification
Eriochrome black T			
CAS-No	1787-61-7	-	Eye irritation (Category 2), H319
EC-No	217-250-3		Chronic aquatic toxicity (Category 2), H411
EC-Index-No -			

For the full text of the H-Statements mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Move to fresh air in case of accidental inhalation of dust.

Skin contact Remove contaminated clothing and wash affected skin with soap and water.

Eye contact If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. After swallowing make victim drink water (two glasses at the most), call in

physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

Not Available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Extinguishing with carbon dioxide, dry chemical, foam or water spray.

# 5.2 Special hazards arising from the substance or mixture

Combustible. Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: carbon oxides, nitrogen oxides, sodium oxides, sulfur oxides.

#### 5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Avoid contact with skin and wear suitable protective clothing.

#### 5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

RCI Labscan Limited. Page 2 of 7

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dusts; do not inhale dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protective equipment see **Section 8**.

#### 6.2 Environmental precautions

Do not allow to enter drinking water and sewerage system.

#### 6.3 Methods and materials for containment and cleaning up

Carefully sweep up, gather and remove. Avoid generation of dusts. Keep in suitable, closed containers for disposal. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see Section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of good ventilation in the working area. Do not leave container open. Avoid spillage. Avoid rising dust.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water, moisture and incompatible materials.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# 8.2 Exposure controls

# Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

# Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

#### Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when dusts are generated filter P1 (EN 143) or use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Environmental exposure controls**

Prevent liquid entering sewers, basements and workpits.

RCI Labscan Limited. Page 3 of 7

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance: Form Solid
: Color Black
Odour Odorless
Odour Threshold Not Available

pH  $\sim$  3.7 at 10 g/l H<sub>2</sub>O at 20°C

252 °C Melting point/range Boiling point/range Not Available Flash point Not Available Evaporation rate Not Available Flammability (solid, gas) Not Available Explosion limits: lower Not Available Not Available upper Vapor Pressure Not Available

Relative Vapor Density Not Available Density Not Available ~400-600 kg/m<sup>3</sup> Bulk density: 50 g/l at 20°C Water solubility Partition coefficient (n-octanol/water) log Pow: 1.78 Auto-Ignition temperature Not Available Not Available Decomposition Temperature Viscosity Not Available Explosive properties Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Not Available

## 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

The substance can react dangerously with strong oxidizing agent.

#### 10.4 Conditions to avoid

Not Available

#### 10.5 Incompatible materials

Strong oxidizing agent

## 10.6 Hazardous decomposition products

Carbon oxides, nitrogen oxides, sodium oxides, sulfur oxides (Hazardous decomposition products from under fire condition).

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

**Acute toxicity** 

LD<sub>50</sub> (rat, oral): 17590 mg/kg

RCI Labscan Limited. Page 4 of 7

#### Acute oral toxicity

Irritations of mucous membranes

# Acute inhalation toxicity

Slight mucosal irritations

#### Skin corrosion/irritation

No Irritation

#### Serious eye damage/eye irritation

Irritation

# Respiratory or skin sensitization

Not Available

#### Germ cell mutagenicity

Ames test with Salmonella typhimurium is positive.

# Carcinogenicity

Not Available

#### Reproductive toxicity

Not Available

# **Teratogenicity**

Not Available

#### Specific target organ toxicity (STOT) - single exposure

Not Available

# Specific target organ toxicity (STOT) - repeated exposure

Not Available

# **Aspiration hazard**

Not Available

#### **Further information**

The following applies to aromatic nitro compound in general: Systemic effect: Methaemoglobinaemia with headache, cardiac dysthymias, drop in blood preesure, dyspnoea, and spasms: Principal sign: Cyanosis (blue discoloration of the blood).

The following applies to azo dyes in general: Azo dyes containing a carcinogenic aryl amine component are suspected of possessing a carcinogenic potential.

The product should be handled with the care usual when dealing with chemicals.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC<sub>50</sub> Pimephales promelas (fathead minnow): 6 mg/l/96h.

Toxicity to bacteria EC<sub>50</sub> Bacteria: 10-100 mg/l.

# 12.2 Persistence and degradability

Biodegradability Method for the determination of biodegradability is not applicable to

inorganic substance.

#### 12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) log Pow: 1.78

No appreciable bioaccumulation potential is to be expected

RCI Labscan Limited. Page 5 of 7

(log Po/w 1-3)

#### 12.4 Mobility in soil

Not Available

#### 12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

#### Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

# **SECTION 14: Transport information**

Land Transport (ADR/RID)

UN Number 3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(2-HYDOXY-1-(1-HYDROXY-2-NAPHTHYLAZO)-6-

NITRONAPHTHALENE-4-SULFONIC ACID SODIUM SALT)

Transport hazard class(es) 9
Packing group III
Environmental hazards Yes
Special precautions for user Yes

Sea transport (IMDG)

UN Number 3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(2-HYDOXY-1-(1-HYDROXY-2-NAPHTHYLAZO)-6-

NITRONAPHTHALENE-4-SULFONIC ACID SODIUM SALT)

Transport hazard class(es)

Packing group

Marine pollutant

Special precautions for user

EmS

9

III

Yes

Yes

F-A S-F

Air transport (IATA)

UN Number 3077

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(2-HYDOXY-1-(1-HYDROXY-2-NAPHTHYLAZO)-6-

NITRONAPHTHALENE-4-SULFONIC ACID SODIUM SALT)

Transport hazard class(es) 9
Packing group III
Environmental hazards Yes
Special precautions for user No

RCI Labscan Limited. Page 6 of 7

#### River transport (AND/ADNR)

(Not examined)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

# **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Not Available

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

#### Recommended restrictions

Take notice of labels and safety data sheets for the working.

#### Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

# **Further information**

Contact to RCI Labscan Limited.

## **Revision Date**

01/08/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 7 of 7